

TÜVRheinland

Labo

 Prüfbericht - Nr.:
 0238101203a 001
 Seite 1 von 5

 Test Report No.:
 Page 1 of 5

Auftraggeber: Formosa Chemicals & Fibre Corporation

Client: 201, Tung Hwa N. Rd., Taipei 105, Taiwan, R.O.C.

Gegenstand der Prüfung: Acrylonitrile/ Butadiene/ Styrene Copolymers (丙烯腈/丁二烯/苯乙烯共聚合樹脂)

Test Item:

Bezeichnung: TAIRILAC AF3535

Identification:

Anlieferungszustand: apparent good Eingangsdatum: 2019-02-15

Delivery condition: Date of Receipt:

Prüfort: TÜV Rheinland (Shanghai) Co. Ltd.

Testing location:

Test specification:

Prüfgrundlage: According to RoHS (recast): Restriction of the Use of Certain Hazardous

Substances in Electrical and Electronic Equipment, 2011/65/EU Annex II and its amendment Directive (EU) 2015/863: Total Content of Lead, Cadmium, Mercury, Chromium VI, Polybrominated Biphenyls, Polybrominated Diphenyl Ethers; and Benzylbutyl phthalate (BBP), Dibutyl phthalate (DBP), Bis(2-ethylhexyl)

phthalate (DEHP), Diisobutyl phthalate (DIBP)

Prüfergebnis: According to the kind and extend of tests performed the above mentioned test

Test result: item passed the test specification.

geprüft: tested by: **kontrolliert:** checked by:

2019-02-25 Yueh-Li Lin

Yueh-Li Lin 2019-02-25 Tammy Wang /Senior Project Coordinator /Assistant Manager

 Datum
 Name/Stellung
 Unterschrift
 Datum
 Name/Stellung
 Unterschrift

 Date
 Name/Position
 Signature
 Date
 Name/Position
 Signature

Sonstiges/ Other Aspects:

Test period: 2019-02-15 - 2019-02-25

Yueh-Li Lin

Abkürzungen:ok/P=entspricht PrüfgrundlageAbbreviations:ok/P=passedfail / F=entspricht nicht Prüfgrundlagefail / F=fail / F=fail den.a. / N=nicht anwendbarn.a. / N=not applicate

Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens.

This test report relates to the a.m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.



Test Report No. 0238101203a 001 2019-02-25

Customer Formosa Chemicals & Fibre Corporation Test Method Total Cadmium, Lead, Mercury, Chromium

- Ref. to IEC 62321-4:2013 and IEC 62321-5:2013

Chromium (VI)

- For Metal material - Ref. to IEC 62321-7-1:2015

- For Plastic or Electronic material - Ref. to IEC 62321-7-2:2017

- For Leather material - Ref. to EN ISO 17075-1:2017

PBBs, PBDEs - Ref. to IEC 62321-6:2015

Sample		LoD	TAIRILAC AF3535
Material			plastic/off white
LabNo.			TCL190215-03
Cadmium (Cd)	mg/kg	2	n.d.
Lead (Pb)	mg/kg	2	n.d.
Mercury (Hg)	mg/kg	2	n.d.
Chromium VI (Cr VI)*	mg/kg	10	n.d.
Sum of Polybrominated biphenyls (PBBs)	mg/kg	-	n.d.
Monobromobiphenyl	mg/kg	5	n.d.
Dibromobiphenyl	mg/kg	5	n.d.
Tribromobiphenyl	mg/kg	5	n.d.
Tetrabromobiphenyl	mg/kg	5	n.d.
Pentabromobiphenyl	mg/kg	5	n.d.
Hexabromobiphenyl	mg/kg	5	n.d.
Heptabromobiphenyl	mg/kg	5	n.d.
Octabromobiphenyl	mg/kg	5	n.d.
Nonabromobiphenyl	mg/kg	5	n.d.
Decabromobiphenyl	mg/kg	5	n.d.
Sum of Polybrominated diphenyl ethers (PBDEs)	mg/kg	-	n.d.
Monobromodiphenyl ether	mg/kg	5	n.d.
Dibromodiphenyl ether	mg/kg	5	n.d.
Tribromodiphenyl ether	mg/kg	5	n.d.
Tetrabromodiphenyl ether	mg/kg	5	n.d.
Pentabromodiphenyl ether	mg/kg	5	n.d.
Hexabromodiphenyl ether	mg/kg	5	n.d.
Heptabromodiphenyl ether	mg/kg	5	n.d.
Octabromodiphenyl ether	mg/kg	5	n.d.
Nonabromodiphenyl ether	mg/kg	5	n.d.
Decabromodiphenyl ether	mg/kg	5	n.d.

Notes:

- n.d. not detected
- n.a. not applicable
- LoD Limit of Detection
- mg/kg is equal to ppm (parts per million)
- * Once the total Cr content in metal/ plastic or electronic sample is found to be exceeded the limit, the Cr (VI) content will be confirmed with reference to IEC 62321-7-1:2015/ IEC 62321-7-2:2017

	Cd	Cr(VI)	Pb	Hg	PBBs	PBDEs
Maximum permissible Limit acc. to 2011/65/EU (mg/kg)	100	1000	1000	1000	1000	Nonand Taj
						TÜVRheinla
	·	·	2/5	_	·	Cal Lab



Test Report No. : 0238101203a 001 2019-02-25

Customer : Formosa Chemicals & Fibre Corporation

Test Method : BBP/DBP/DEHP/DIBP - Ref. to IEC 62321-8:2017

Sample	LoD	TAIRILAC AF3535
Material		plastic/off white
LabNo.		TCL190215-03
Benzylbutylphthalate (BBP) mg/kg	50	n.d.
Dibutylphthalate (DBP) mg/kg	50	n.d.
Diethylhexylphthalate (DEHP) mg/kg	50	n.d.
Diisobutylphthalate (DIBP) mg/kg	50	n.d.

Notes:

- n.d. - not detected

- n.a. not applicable
- LoD Limit of Detection
- mg/kg is equal to ppm (parts per million)

	BBP	DBP	DEHP	DIBP
Maximum permissible				
Limit acc. to (EU) 2015/863	1000	1000	1000	1000
(mg/kg)				

Test Sample








Test Report No. : 0238101203a 001 2019-02-25

Customer : Formosa Chemicals & Fibre Corporation

Testing procedure:

RoHS (Pb, Cd, Hg, Cr(VI))



Notes: 1) For metallic material

2) For non-metallic material






Test Report No. : 0238101203a 001 2019-02-25

Customer : Formosa Chemicals & Fibre Corporation

Testing procedure:

RoHS (PBBs/PBDEs, DEHP/DBP/BBP/DIBP)



--- End of Test-Report ---

